


Vortex Cooler

Model 711, 750, 760 (NEMA 12)



Dimensions	inch	mm
A	7/8	22
B	1-5/8	41
C	1-3/8	35
D	1-9/16	40
Hole	1-1/8	28
Knockout size	3/4	
Outside height	7-1/8	181


SPECIFICATIONS

Product	Thermostat	Includes filter and ducting kit?	Cooling Capacity	
			BTU/hr	Watts
750	Electric with solenoid	Yes	400	117
760	None	Yes	400	117
711	None	No	400	117

Notes: Specifications are for 100 psig (6.9 bar) compressed air.
Compressed air piping and electrical conduit are not included.

Vortex Cooler

Models 721, 730, 740, 780, 785, 790, 795 (NEMA 12)



Dimensions	inch	mm
A	1-3/4	44
B	1-5/8	41
C	1-3/8	35
D	5-5/32	130
Hole	1-1/8	28
Knockout size	3/4	
Outside height	10-3/4	273


SPECIFICATIONS

Product	Thermostat	Includes filter and ducting kit?	Cooling Capacity	
			BTU/hr	Watts
740	Electric with solenoid	Yes	900	264
730	None	Yes	900	264
721-15H	None	No	900	264
790	Electric with solenoid	Yes	1500	439
780	None	Yes	1500	439
721	None	No	1500	439
795	Electric with solenoid	Yes	2500	732
785	None	Yes	2500	732
721-35H	None	No	2500	732

Notes: Specifications are for 100 psig (6.9 bar) compressed air.
Compressed air piping and electrical conduit are not included.

Vortex Cooler

Models 727, 737, 747, 787, 797 (NEMA 4)



Dimensions	inch	mm
A	2	51
B	2-5/8	67
C	5/8	16
Hole	1-15/16	49
Knockout size	1-1/2	
Outside height	9-15/16	252


SPECIFICATIONS

Product	Thermostat	Includes filter and ducting kit?	Cooling Capacity	
			BTU/hr	Watts
747	Electric with solenoid	Yes	900	264
737	None	Yes	900	264
727-15H	None	No	900	264
797	Electric with solenoid	Yes	1700	498
787	None	Yes	1700	498
727	None	No	1700	498
797-35H	Electric with solenoid	Yes	2500	732
787-35H	None	Yes	2500	732
727-35H	None	No	2500	732

Notes: Specifications are for 100 psig (6.9 bar) compressed air.
Compressed air piping and electrical conduit are not included.

Vortex Cooler

Models 727SS, 737SS, 747SS, 787SS, 797SS (NEMA 4X)



Dimensions	inch	mm
A	2	51
B	2-5/8	67
C	5/8	16
Hole	1-15/16	49
Knockout size	1-1/2	
Outside height	9-15/16	252


SPECIFICATIONS

Product	Thermostat	Includes filter and ducting kit?	Cooling Capacity	
			BTU/hr	Watts
747SS	Electric with solenoid	Yes	900	264
737SS	None	Yes	900	264
727SS-15H	None	No	900	264
797SS	Electric with solenoid	Yes	1700	498
787SS	None	Yes	1700	498
727SS	None	No	1700	498
797SS-35H	Electric with solenoid	Yes	2500	732
787SS-35H	None	Yes	2500	732
727SS-35H	None	No	2500	732

Notes: Specifications are for 100 psig (6.9 bar) compressed air.
Compressed air piping and electrical conduit are not included.

Vortex Cooler

Model 7970 and 7870 (NEMA 12)




SPECIFICATIONS

Product	Thermostat	Includes filter and ducting kits?	Cooling Capacity	
			BTU/hr	Watts
7970	Electric with solenoid	Yes	5000	1464
7870	None	Yes	5000	1464

Notes: Specifications are for 100 psig (6.9 bar) compressed air.
Compressed air piping and electrical conduit are not included.

Vortex Cooler

Model 7975 and 7875 (NEMA 4)




SPECIFICATIONS

Product	Thermostat	Includes filter and ducting kits?	Cooling Capacity	
			BTU/hr	Watts
7975	Electric with solenoid	Yes	5000	1464
7875	None	Yes	5000	1464

Notes: Specifications are for 100 psig (6.9 bar) compressed air.
Compressed air piping and electrical conduit are not included.

Vortex Cooler

Model 7975SS and 7875SS (NEMA 4x)



Dimensions	inch	mm
A	2	51
B	2-5/8	67
C	5-1/2	140
Hole	1-15/16	49
Knock out Size	1-1/2	

SPECIFICATIONS

Product	Thermostat	Includes filter and ducting kits?	Cooling Capacity	
			BTU/hr	Watts
7975SS	Electric with solenoid	Yes	5000	1464
7875SS	None	Yes	5000	1464

Notes: Specifications are for 100 psig (6.9 bar) compressed air.
Compressed air piping and electrical conduit are not included.